PTO/SB/08A (07-05)

Approved for use through 07/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449/PTO Application Number 10/091,360 Filing Date March 4, 2002 INFORMATION DISCLOSURE First Named Inventor Petros Tsipouras STATEMENT BY APPLICANT Art Unit 1631 (Use as many sheets as necessary) Examiner Name Lori Clow Sheet of 1 Attorney Docket Number IK - 110.3 (C)

			I.S. PATENT DOCU		
Examiner Initials	Cite No. ¹	Number-Kind Code ^{2 ((f known)}	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		US-7,133,543	06-06-2002		
		US-App. 02/0160443	10-31-2002		
		US-App. 09/421,956	10-20-1999		
		US-App. 09/724,384	11-28-2000		
		US-App. 10/091,360	03-04-2002		
		US-App. 11/833154	08-02-2007		
		US-App. 11/833183	08-02-2007		
		US-App. 11/833203	08-02-2007		
		US-App. 11/833204	08-02-2007		
		US-App. 11/833428	08-03-2007		
		US-App. 11/833517	08-03-2007		
		US-App. 11/833594	08-03-2007		
,		US-App. 11/833849	08-03-2007		
		US-App. 11/833849	08-03-2007		·
		US-App. 12/013,944	01-14-2008		
		US-App. 60/84,893	05-09-1998		

-		FOREIG	N PATENT DO	CUMENTS		
Examiner Initials	Cite No. ¹	Foreign Patent Document Country Code ³ Number ⁴ Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	Тé
Examiner Signature	<u> </u>		<u> </u>	Date Considered		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORM TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PTO/SB/08B (07-05)

Approved for use through 07/31/2006. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO			Complete if Known	
	NEORMATI	ION DISCLOSURE	Application Number	10/091,360
1	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)		Filing Date	March 4, 2002
			First Named Inventor	Petros Tsipouras
			Art Unit	1631
			Examiner Name	Lori Clow
Sheet	1	of 1	Attorney Docket Number	IK – 110.3 (C)

Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T,
		"XL VISION Announces Advanced Imaging Technology For Early Detection of Metastatic Cancer," Press Release dated December 18, 1995, XL VISION, Sebastian, FL, pp. 7 – 11.	
		ADNANE, J. 1991 Oncogene 6:659-661	
_		ALITALO, K et al., 1986 Adv. Cancer Res. 47:235-281	
		AneuVysion®Multicolor DNA Robe Kit by Vysis division of Abbott Laboratories http://www.aneuvysion.com/AboutAneuVysion_6.asp pp1-3	
		BAXES, 1994, "Digital Image Processing, Passage," U.S., New York, Wiley, pp. 127-137.	
		DUTRILLAUX, B. et al. 1990 Cancer Genet Cytogenet 49: 203-217	
		GLASBY et al. (Image Analysis for Biological Sciences (1995) John Wiley and Sons, Chichester, England, pages 31-38).	
		International Search Report, International Application No. PCT/US02/31684, International Filing Date, December 23, 2002.	
		International Search Report, International Application No. PCT/US99/10026, International Filing Date, May 7, 1999.	
		KALLIOMIEMI, A. et al 1994 Proc. Natl. Acad. Sci. USA 91:2156-2160	
		KALLIOMIEMI, A. et al. 1992 Science 258:818-821	
		LIZARDI et al., 1998, "Mutation Detection and Single-Molecule Counting Using Isothermal Cooling-Circle Amplification," Nature Genetics, 19(3): pp. 225 - 232.	
		MERGENTHALER et al. 2005 J. Histochem. Cytochem., 53(3): 319-322.	
		MESKER et al., 1994, "Detection of Immunocytochemically Stained Rare Events Using Image Analysis," Cytochemistry 17: pp. 209 - 215.	
		OOSTERWIJK et al., 1998, "Development of a Preparation and Staining Method for Fetal Erythroblasts in Maternal Blood: Simultaneous Immunocytochemical Staining and FISH Analysis," Cytometry 32: pp. 170 – 177.	

Attorney Docket No.: IK 110.3 (C)

OOSTERWIJK et al., 1998, "Fetal Cell Detection in Maternal Blood: A study in 236 Samples Using Erythroblast Morphology, DAB and HbF Staining, and FISH Analysis," Cytometry 32: pp. 178 – 185.	
OOSTERWIJK et al., 1998, "Strategies for Rare-Event Detection: An Approach for Automated Fetal Cell Detection in Maternal Blood," Am. J. Hum. Genet. 63: pp. 1783 – 1792.	
PRESS, M. F. et al. 2002 J. Clin. Oncol. 20 (14):3095-3105.	
ROSS, J. S. et al. 2003 The Oncologist Vol 8, No. 4, 307-325.	
SCHWAB, M. 1990 Genes Chromosomes Cancer 1:181-193	
SLAMON, D. J. et al. 1987 Science 235:178-182.	
SO, C_K et al. 2004 Clinical Cancer Research 10: 19-27.	
TANKE et al., 1996, "Detection of "Rare Event" Fetal Erythroblasts in Maternal Blood Using Automated Microscopy," Early Hum. Devel. 47 Suppl.: pp. S89 – S93.	
UroVysion®kit by Vysis division of Abbott Laboratories http://www.urovysion.com/UroVysionBladderCancerKit_353.aspx p. 1	
VERWOERD et al., 1987, "Somatic Cell Mutations In Humans Detected By Image Analysis of Immunofluorescently Stained Erythrocytes," in: Clinical Cytometry and Histometry, Burger et al., eds., Academic Press, pp. 465 – 469.	
ZAFRANI, B. et al. 1992 Human Pathology 23: 542-547.	
	l